



woodtec Fankhauser GmbH
Production Technology for Timber Construction

we make machines but
we love wood

Material Handling

 **swiss quality**



BIY Table

The Assembly Table for Small Budgets

Build it yourself. With tried and tested functionality

BIY-Kit Basic

Easy alignment and squaring of the frame. Clamping options increase precision and allow assembly by a single worker.



Pneumatic Pressors

Clamping the frame allows assembly by one operator and reduces assembly time.





Perforated Rail Basic

3.3 m long Perforated Rail with 20 mm Stop Plate and height-adjustable Edge Stop up to 280 mm.




Side Stop Basic

Can be readjusted anytime to compensate for wood shrinkage in order to guarantee perfect squareness..



Our Kit & Assembly Plan. Your wood

Customers provide the following:
Glulam beams (120/260 mm), three-ply panels (42 mm) and edge stop strips.



Professional Table for Small Budgets

BIY Table Pro Version

The kit with the small improvements that make up a lot of efficiency. Almost like the modular assembly table.




Pneumatic Pressors
Clamping the frame allows assembly by one operator and reduces assembly time.



Integrated Tape Measure
Self-Adhesive Tape Measures for assembly, squaring and control.




Side Stop Pro
Low perforated rail with (re)moveable panel edge stops, providing more support to studs and sheathing.



Perforated Rail Pro
3.3 m long Perforated Rail with Panel Edge Stop for sheathing with overlap.

Roof and Floor Cassettes
Additional double rails with pairs of sliders to align all beams in one go in the right position



Individualized Kit

Additional Options


Adapt the table entirely to your needs and way of manufacture. An assembly table should be as versatile as possible and still fit optimally.



Rail Extension
Additional 1/1.5/2 m rail with connector set and supporting foot.



Additional Side Stop
Add second work station and optimize the work space.



Fast-Clamp
Clamping with precise position control. Decoupling of the spindle for fast positioning



Laser Marker
No need to mark the positions of the studs. Position laser and follow the beam.

Fold Back and Save Space
Thanks to a couple of pivots and a corresponding base, the table can also be folded against a wall





woodtec Fankhauser GmbH

Gewerbe Brunnmatt 6
CH - 6264 Pfaffnau

tel +41 62 752 95 80
fax +41 62 752 95 84

info@woodtec.ch
www.woodtec.ch

More Information:
woodtec.ch/biytable



Timber Frame



Cross Laminated Timber
CLT / XLam



Box Girders
Ribbed Slabs



Material Handling